


HRT[®]

浩尔特轴承
HRT Bearing

<http://www.hrt-bearing.com>



山东浩尔特轴承制造有限公司
Shandong HRT Bearing Manufacturer Co.,LTD



山东浩尔特轴承制造有限公司（原天津鑫丰轴承制造有限公司）坐落于山东省聊城市257省道旁，交通便利，注册资金3000万元，占地面积51948平方米，一期工程建筑面积32600平方米，年产值近2个亿。

公司是以生产圆锥滚子轴承、圆柱滚子轴承、球面调心滚子轴承为主的专业生产厂家，生产工艺全部采用国内先进技术，主要生产设备达到国内同行业先进水平，保证了产品质量的稳定性。热处理采用国内先进的盐浴马氏体淬火生产线，尺寸范围覆盖内径20mm到外径600mm，可生产普通级别（P0）和P5级别的轴承，年产量500万套，产品总体定位为中高端，公司还可根据客户要求定做非标异型轴承。2012年公司一次性通过ISO9001-2000版国际质量体系认证。产品广泛应用于汽车、冶金、电机、机械制造等行业。

公司在天津、上海、唐山设立有销售分公司，为客户提供完善的售后服务。同时公司拥有自营产品出口权，产品远销至东南亚、印度、俄罗斯、中东、欧洲、南非、南美、北美等三十多个国家和地区，与中外客商建立起长期良好的合作关系。竭诚欢迎海内外人士来我厂考察指导，互相交流，共创辉煌。

品质致力于高端，服务致力于卓越。铸产品、铸精品、铸人品，是我们的永远不变的经营理念。互惠互利，诚信至上，把客户的需求放在第一位，坚持不断的创新和研发为客户的无忧运转提供有力的保障。


Shandong HRT Bearing Manufacturer Co., Ltd (Tianjin Xinfeng Bearing Manufacturer Co., Ltd.) is located in 257 provincial road, Liaocheng City, Shandong Province in China. convenient transportation, Registered capital of 30 million RMB(5 million USD), Covers an area of 51,948 square meters, First project construction area of 32,600 square meters, annual production value of nearly 200 million RMB(30 million USD).

Our company is a professional manufacturer for Tapered roller bearings, Cylindrical roller bearings, Spherical roller bearings, deep groove ball bearings, all production processes use advanced domestic technology, the main production equipment achieves the advanced level of the domestic industry to ensure the stability of product quality. Heat treatment using domestic advanced production line for salt bath martensitic hardening, the size range covers the inner diameter of 20mm to outer diameter of 600mm, can produce 5 million sets of the standard(P0)class and P5 bearing, All the product is positioned as middle-high quality, our company also can produce custom non-standard special bearings as customers' requirement.

In 2012, our company passed the ISO9001-2000 international quality system certification at a time. The products are widely used in automobile, metallurgy, electrical, mechanical and manufacturing industries.

Our company has sales branch in Tianjin, Shanghai, Tangshan, providing customers with comprehensive after-sales service. and also has the right to self-exports, the products are exported to Southeast Asia, India, Russia, the Middle East, Europe, South Africa, South America, North America and more than 30 countries and regions to establish a long-term good cooperation relationship with domestic and foreign businessmen. We sincerely welcome people at home and abroad to visit our factory guidance, exchange, create brilliant.

Quality is committed to high, service is committed to excellence, casting products. Casting fine products, casting character is our business philosophy which will never change. We pursue mutual benefit, credit first and put the needs of customers in the first place. Through continuous innovation, research and development, we provide strong protection for customers' worry-free operation.



Deep Groove Ball Bearing				
60XX Series				Unit: mm
Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
6000	10	26	8	6000 2RS/ZZ
6001	12	28	8	6001 2RS/ZZ
6002	15	32	9	6002 2RS/ZZ
6003	17	35	10	6003 2RS/ZZ
6004	20	42	12	6004 2RS/ZZ
6005	25	47	12	6005 2RS/ZZ
6006	30	55	13	6006 2RS/ZZ
6007	35	62	14	6007 2RS/ZZ
6008	40	68	15	6008 2RS/ZZ
6009	45	75	16	6009 2RS/ZZ
6010	50	80	16	6010 2RS/ZZ
6011	55	90	18	6011 2RS/ZZ
6012	60	95	18	6012 2RS/ZZ
6013	65	100	18	6013 2RS/ZZ
6014	70	110	20	6014 2RS/ZZ
6015	75	115	20	6015 2RS/ZZ
6016	80	125	22	6016 2RS/ZZ
6017	85	130	22	6017 2RS/ZZ
6018	90	140	24	6018 2RS/ZZ
6019	95	145	24	6019 2RS/ZZ
6020	100	150	24	6020 2RS/ZZ
6021	105	160	26	6021 2RS/ZZ
6022	110	170	28	6022 2RS/ZZ
6024	120	180	28	6024 2RS/ZZ
6026	130	200	33	6026 2RS/ZZ
6028	140	210	33	6028 2RS/ZZ
6030	150	225	35	6030 2RS/ZZ
6032	160	240	38	6032 2RS/ZZ
6034	170	260	42	6034 2RS/ZZ
6036	180	280	46	6036 2RS/ZZ
6038	190	290	46	6038 2RS/ZZ
6040	200	310	51	6040 2RS/ZZ

Deep Groove Ball Bearing

62XX Series				Unit: mm
Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
6200	10	30	9	6200 2RS/ZZ
6201	12	32	10	6201 2RS/ZZ
6202	15	35	11	6202 2RS/ZZ
6203	17	40	12	6203 2RS/ZZ
6204	20	47	14	6204 2RS/ZZ
6205	25	52	15	6205 2RS/ZZ
6206	30	62	16	6206 2RS/ZZ
6207	35	72	17	6207 2RS/ZZ
6208	40	80	18	6208 2RS/ZZ
6209	45	85	19	6209 2RS/ZZ
6210	50	90	20	6210 2RS/ZZ
6211	55	100	21	6211 2RS/ZZ
6212	60	110	22	6212 2RS/ZZ
6213	65	120	23	6213 2RS/ZZ
6214	70	125	24	6214 2RS/ZZ
6215	75	130	25	6215 2RS/ZZ
6216	80	140	26	6216 2RS/ZZ
6217	85	150	28	6217 2RS/ZZ
6218	90	160	30	6218 2RS/ZZ
6219	95	170	32	6219 2RS/ZZ
6220	100	180	34	6220 2RS/ZZ
6221	105	190	36	6221 2RS/ZZ
6222	110	200	38	6222 2RS/ZZ
6224	120	215	40	6224 2RS/ZZ
6226	130	230	40	6226 2RS/ZZ
6228	140	250	42	6228 2RS/ZZ
6230	150	270	45	6230 2RS/ZZ
6232	160	290	48	6232 2RS/ZZ
6234	170	310	52	6234 2RS/ZZ
6236	180	320	52	6236 2RS/ZZ
6238	190	340	55	6238 2RS/ZZ
6240	200	360	58	6240
6244	220	400	65	6244
6248	240	440	72	6248
6252	260	480	80	6252

Deep Groove Ball Bearing

63XX Series				Unit: mm
Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
6300	10	35	11	6300 2RS/ZZ
6301	12	37	12	6301 2RS/ZZ
6302	15	42	13	6302 2RS/ZZ
6303	17	47	14	6303 2RS/ZZ
6304	20	52	15	6304 2RS/ZZ
6305	25	62	17	6305 2RS/ZZ
6306	30	72	19	6306 2RS/ZZ
6307	35	80	21	6307 2RS/ZZ
6308	40	90	23	6308 2RS/ZZ
6309	45	100	25	6309 2RS/ZZ
6310	50	110	27	6310 2RS/ZZ
6311	55	120	29	6311 2RS/ZZ
6312	60	130	31	6312 2RS/ZZ
6313	65	140	33	6313 2RS/ZZ
6314	70	150	35	6314 2RS/ZZ
6315	75	160	37	6315 2RS/ZZ
6316	80	170	39	6316 2RS/ZZ
6317	85	180	41	6317 2RS/ZZ
6318	90	190	43	6318 2RS/ZZ
6319	95	200	45	6319 2RS/ZZ
6320	100	215	47	6320 2RS/ZZ
6321	105	225	49	6321 2RS/ZZ
6322	110	240	50	6322 2RS/ZZ
6324	120	260	55	6324 2RS/ZZ
6326	130	280	58	6326 2RS/ZZ
6328	140	300	62	6328 2RS/ZZ
6330	150	320	65	6330

Deep Groove Ball Bearing				
64XX Series				Unit: mm
Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
6403	17	62	17	6403 2RS/ZZ
6404	20	72	19	6404 2RS/ZZ
6405	25	80	21	6405 2RS/ZZ
6406	30	90	23	6406 2RS/ZZ
6407	35	100	25	6407 2RS/ZZ
6408	40	110	27	6408 2RS/ZZ
6409	45	120	29	6409 2RS/ZZ
6410	50	130	31	6410 2RS/ZZ
6411	55	140	33	6411 2RS/ZZ
6412	60	150	35	6412 2RS/ZZ
6413	65	160	37	6413 2RS/ZZ
6414	70	180	42	6414 2RS/ZZ
6415	75	190	45	6415 2RS/ZZ
6416	80	200	48	6416 2RS/ZZ
6417	85	210	52	6417 2RS/ZZ
6418	90	225	54	6418 2RS/ZZ
6419	95	240	55	6419 2RS/ZZ
6420	100	250	58	6420 2RS/ZZ
6422	110	280	65	6422 2RS/ZZ

Deep Groove Ball Bearing				
160XX Series				Unit: mm
Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
16001	12	28	7	16001
16002	15	32	8	16002
16003	17	35	8	16003
16004	20	42	8	16004
16005	25	47	8	16005
16006	30	55	9	16006
16007	35	62	9	16007
16008	40	68	9	16008
16009	45	75	10	16009
16010	50	80	10	16010
16011	55	90	11	16011
16012	60	95	11	16012
16013	65	100	11	16013
16014	70	110	13	16014
16015	75	115	13	16015
16016	80	125	14	16016
16017	85	130	14	16017
16018	90	140	16	16018
16019	95	145	16	16019
16020	100	150	16	16020
16021	105	160	18	16021
16022	110	170	19	16022
16024	120	180	19	16024
16026	130	200	22	16026
16028	140	210	22	16028
16030	150	225	24	16030

Deep Groove Ball Bearing				
618XX Series				Unit: mm
Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
618/1	1	3	1	618/1
618/2	2	5	1.5	618/2
618/3	3	7	2	618/3
618/4	4	9	2.5	618/4
618/5	5	11	3	618/5
618/6	6	13	3.5	618/6
618/7	7	14	3.5	618/7
618/8	8	16	4	618/8
618/9	9	17	4	618/9
61800	10	19	5	61800
61801	12	21	5	61801
61802	15	24	5	61802
61803	17	26	5	61803
61804	20	32	7	61804
61805	25	37	7	61805
61806	30	42	7	61806
61807	35	47	7	61807
61808	40	52	7	61808
61809	45	58	7	61809
61810	50	65	7	61810
61811	55	72	9	61811
61812	60	78	10	61812
61813	65	85	10	61813
61814	70	90	10	61814
61815	75	95	10	61815
61816	80	100	10	61816
61817	85	110	13	61817
61818	90	115	13	61818
61819	95	120	13	61819
61820	100	125	13	61820
61821	105	130	13	61821
61822	110	140	16	61822
61824	120	150	16	61824
61826	130	165	18	61826
61828	140	175	18	61828
61830	150	190	20	61830
61832	160	200	20	61832
61834	170	215	22	61834
61836	180	225	22	61836
61838	190	240	24	61838
61840	200	250	24	61840

Deep Groove Ball Bearing

619XX Series

Unit: mm

Type	Inner Dia. (mm)	Out Dia. (mm)	Height (mm)	Type
	d	D	B	
619/1	1	4	1.6	619/1
619/2	2	6	2.3	619/2
619/3	3	8	3	619/3
619/4	4	11	4	619/4
619/5	5	13	4	619/5
619/6	6	15	5	619/6
619/7	7	17	5	619/7
619/8	8	19	6	619/8
619/9	9	20	6	619/9
61900	10	22	6	61900
61901	12	24	6	61901
61902	15	28	7	61902
61903	17	30	7	61903
61904	20	37	9	61904
61905	25	42	9	61905
61906	30	47	9	61906
61907	35	55	10	61907
61908	40	62	12	61908
61909	45	68	12	61909
61910	50	72	12	61910
61911	55	80	13	61911
61912	60	85	13	61912
61913	65	90	13	61913
61914	70	100	16	61914
61915	75	105	16	61915
61916	80	110	16	61916
61917	85	120	18	61917
61918	90	125	18	61918
61919	95	130	18	61919
61920	100	140	20	61920
61921	105	145	20	61921
61922	110	150	20	61922
61924	120	165	22	61924
61926	130	180	24	61926
61928	140	190	24	61928
61930	150	210	28	61930

HRT[®]

山东浩尔特轴承制造有限公司
Shandong HRT Bearing Manufacturer Co.,Ltd

Factory Add: No.178 Provincial Road 257 LiaoCheng,ShanDong,China

P.C: 252600

Tel: +0086-635-2651808

Fax: +0086-635-2651808

M.B: 13821528041

E-mail:hrtbearing@126.com

Web: <http://www.hrt-bearing.com>

<http://www.hrtbearing.net>